| bm | certification

CERTIFICATE OF CONFORMITY OF THE FACTORY PRODUCTION CONTROL

Approved Body No. 8520

In compliance with The Construction Products (Amendment etc.) (EU Exit) Regulations 2020 and the Construction Products (Amendment) Regulations 2022, this certificate applies to the construction product(s)

Plywood for structural use

according to Appendix A

Placed on the market under the name or trade mark of

Palmasola SA Madeiras e Agricultura

and produced in the manufacturing plant at the below address Avenida Crestani 515, Palma Sola, Santa Catarina, CEP 89985–000, Brazil

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

BS EN 13986:2004+A1:2015

under system 2+ are applied and that

the factory production control is assessed to be in conformity with the applicable requirements.

This certificate was first issued on September 25, 2023 and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body.



Certificate number: 8520-CPR-022 Date of initial certification: September 25, 2023 Date of last issue: September 25, 2023 Certificate expiry date: September 24, 2026

Rafal Andruszkiewicz Managing director BM Certification UK

BM Certification UK Ltd, Innovation Centre, Gallows Hill, Warwick, CV34 6UW, UK This certificate remains the property of BM Certification UK Ltd. The validity of the certificate may be confirmed at the web address <u>www.bmcertification.com</u>

|| bm | certification

Appendix A

 Issue No.:
 1

 Date:
 September 25, 2023

 Certificate No.
 8520-CPR-022

Plywood

unfaced or faced

Species:	100% pine	Eucalyptus + pine
Conditions (EN636)	internal dry, internal humid and external	internal dry, internal humid and external
Adhesive type:	Phenol Formaldehyde	Phenol Formaldehyde
Formaldehyde class:	E1	E1
Thickness range:	9.0 mm 5ply	9.0 mm 5ply
	12.0 mm 5ply	12.0 mm 5ply
	15.0 mm 5ply	15.0 mm 5ply
	18.0 mm 9ply	18.0 mm 9ply
	-	25.0 mm 13ply